



63 FT 4 IN.

LAUNCH ESCAPE  
SUBSYSTEM  
33 FT

COMMAND  
MODULE  
10 FT 7 IN.

FAIRING  
2 FT 2 IN

SERVICE  
MODULE  
22 FT 7 IN.

- NOSE CONE AND "Q-BALL"
- CANARDS
- PITCH CONTROL MOTOR
- SOLID PROPELLANT
- TOWER JETTISON MOTOR NOZZLE
- POWER SYSTEM AND INSTRUMENTATION WIRE HARNESS
- SOLID PROPELLANT
- LAUNCH ESCAPE MOTOR
- NOZZLES (4) FOR LAUNCH ESCAPE MOTOR
- LAUNCH ESCAPE TOWER
- DOCKING PROBE
- MAIN PARACHUTE (1 OF 3)
- FORWARD COMPARTMENT (EARTH LANDING EQUIPMENT)
- FORWARD BOOST PROTECTIVE COVER
- LOWER EQUIPMENT BAY
- MAIN DISPLAY CONSOLE
- SIDE HATCH (QUICK OPENING)
- AFT BOOST PROTECTIVE COVER
- AFT COMPARTMENT (TANKS, REACTION CONTROL ENGINES, WIRING, PLUMBING)
- HEROICRELIQS.ORG
- DIAMETER 12 FT 10 IN.
- CM SUPPORT BEAMS
- ELECTRIC POWER SYSTEM
- SPACE RADIATOR PANEL
- FUEL CELLS (3)
- REACTION CONTROL ENGINES (QUAD)
- CRYOGENIC STORAGE TANKS
- HELIUM TANK
- FUEL TANKS
- REACTION CONTROL SYSTEM QUAD PANEL
- SERVICE PROPULSION SYSTEM FUEL TANKS
- VHF SCIMITAR ANTENNA (1 OF 2)
- ENVIRONMENTAL CONTROL SYSTEM
- SPACE RADIATOR PANEL
- OXIDIZER TANKS
- STILLWELL AND QUANTITY MEASUREMENT SYSTEM
- SERVICE PROPULSION ENGINE
- RADIAL BEAM
- AFT BULKHEAD HEAT SHIELD
- AFT BULKHEAD
- HIGH-GAIN (DEEP SPACE) ANTENNA
- SERVICE PROPULSION ENGINE NOZZLE
- DIAMETER 8 FT 2 IN

*Apollo command and service modules*